

## Contents

Chairman's Comments . . . . .	1
<b>Polycrystalline Thin Films – Introduction</b>	
Silicon float-zoned crystal growth for high minority charge-carrier lifetime material applications . . . . .	5
T. F. Ciszek (Golden, CO, U.S.A.)	
Recent amorphous silicon research results at the Solar Energy Research Institute . . . . .	15
R. S. Crandall, Y. S. Tsoo, Y. Xu, A. H. Mahan and D. L. Williamson (Golden, CO, U.S.A.)	
Thoughts on the microstructure of polycrystalline thin film $\text{CuInSe}_2$ and its impact on material and device performance . . . . .	21
J. R. Tuttle, D. S. Albin and R. Noufi (Golden, CO, U.S.A.)	
<b>Regular Papers</b>	
The phase behavior of evaporated copper and indium precursors for selenization . . . . .	41
D. S. Albin, G. D. Mooney, J. Carapella, A. Duda, J. Tuttle, R. Matson and R. Noufi (Golden, CO, U.S.A.)	
Enhanced grain growth in polycrystalline $\text{CuInSe}_2$ using rapid thermal processing . . . . .	47
D. S. Albin, G. D. Mooney, A. Duda, J. Tuttle, R. Matson and R. Noufi (Golden, CO, U.S.A.)	
Surface passivation of polycrystalline, chalcogenide based photovoltaic cells . . . . .	53
D. Cahen (Rehovot, Israel) and R. Noufi (Golden, CO, U.S.A.)	
Advances in $\text{CuInSe}_2$ and $\text{CdTe}$ thin film solar cells . . . . .	61
W. N. Shafarman, R. W. Birkmire, D. A. Fardig, B. E. McCandless, A. Mondal, J. E. Phillips and R. D. Varrin, Jr. (Newark, DE, U.S.A.)	
The formation of $\text{CuInSe}_2$ thin films by rapid thermal processing . . . . .	69
G. D. Mooney, A. M. Hermann (Boulder, CO, U.S.A.), J. R. Tuttle, D. S. Albin and R. Noufi (Golden, CO, U.S.A.)	
Fabrication of $\text{CdTe}$ solar cells by laser-driven physical vapor deposition . . . . .	79
A. Compaan, A. Bhat, C. Tabory, S. Liu, M. Nguyen, A. Aydinli, L.-H. Tsien and R. G. Bohn (Toledo, OH, U.S.A.)	
Environmental, health and safety issues associated with the manufacture and use of II–VI photovoltaic devices . . . . .	89
P. D. Moskowitz and V. M. Fthenakis (Upton, NY, U.S.A.)	
Annealing effects on individual loss mechanisms in $\text{CuInSe}_2$ solar cells . . . . .	101
R. A. Sasala and J. R. Sites (Fort Collins, CO, U.S.A.)	
Growth and process optimization of $\text{CdTe}$ and $\text{CdZnTe}$ polycrystalline films for high efficiency solar cells . . . . .	109
A. Rohatgi, R. Sudharsanan, S. A. Ringel and M. H. MacDougall (Atlanta, GA, U.S.A.)	
Thin films of II–VI compounds and alloys . . . . .	123
T. L. Chu, S. S. Chu, C. Ferekides, J. Britt, C. Q. Wu, G. Chen and N. Schultz (Tampa, FL, U.S.A.)	

CuInSe <sub>2</sub> photovoltaic modules. . . . .	131
K. W. Mitchell, W. Chesarek, D. R. Willett, C. Eberspacher, J. H. Ermer and R. R. Gay (Camarillo, CA, U.S.A.)	
Cadmium telluride module development. . . . .	137
S. P. Albright, R. R. Chamberlin and J. F. Jordan (El Paso, TX, U.S.A.)	
Preparation of Cd(Zn)Te and CuInSe <sub>2</sub> films and devices by a two-stage process. . . . .	143
B. M. Basol and V. K. Kapur (Inglewood, CA, U.S.A.)	
Characterization of the defect levels in copper indium diselenide. . . . .	151
F. A. Abou-Elfotouh, H. Moutinho, A. Bakry, T. J. Coutts and L. L. Kazmerski (Golden, CO, U.S.A.)	

## Amorphous — Introduction

Non-linear recombination processes in photovoltaic semiconductors. . . . .	163
R. K. Ahrenkiel, B. M. Keyes and D. J. Dunlavy (Golden, CO, U.S.A.)	
What can we learn from the saturation of light-induced defects in amorphous hydrogenated silicon? . . . . .	177
M. Isomura, X. Xu and S. Wagner (Princeton, NJ, U.S.A.)	

## Regular Papers

Needs of the amorphous silicon program with respect to stabilized module per- formance. . . . .	195
W. Luft, B. Stafford and B. von Roedern (Golden, CO, U.S.A.)	
Distribution of the density of states of bonded hydrogen in amorphous hydrogenated silicon. . . . .	207
R. A. Street (Palo Alto, CA, U.S.A.)	
Electroluminescence studies of recombination in hydrogenated amorphous silicon p-i-n devices. . . . .	219
K. Wang, D. Han, M. Silver (Chapel Hill, NC, U.S.A.) and H. M. Branz (Golden, CO, U.S.A.)	
Photocurrent drift measurements and solar cell models for amorphous silicon. . . . .	227
E. A. Schiff (Syracuse, NY, U.S.A.)	
Defect equilibration and metastability in low-spin-density amorphous hydrogenated silicon. . . . .	235
T. J. McMahon (Golden, CO, U.S.A.)	
Structural, optical, and electrical studies of amorphous hydrogenated germanium. . . . .	245
W. A. Turner, S. J. Jones, Y. M. Li, D. Pang, A. E. Wetsel and W. Paul (Cambridge, MA, U.S.A.)	
Hydrogen content and the goal of stable efficient amorphous-silicon-based solar cells. . . . .	255
C. M. Fortmann, S. S. Hegedus, T. X. Zhou and B. N. Baron (Newark, DE, U.S.A.)	
Progress on high performance multijunction amorphous hydrogenated silicon alloy based solar cells and modules. . . . .	261
A. Catalano, R. R. Arya, M. Bennett, L. Yang, Y. Li, B. Fieselmann, S. Wiedeman and J. Newton, J. Morris, K. Rajan, G. Wood, C. Poplawski and B. Goldstein (Newtown, PA, U.S.A.)	
High-deposition-rate amorphous silicon solar cells: silane or disilane? . . . . .	271
D. S. Shen, H. Chatham and P. K. Bhat (Golden, CO, U.S.A.)	
Overview of amorphous silicon photovoltaic module development. . . . .	277
D. E. Carlson (Newtown, PA, U.S.A.)	

Advances in double-junction amorphous silicon photovoltaic modules. . . . .	285
Y. Ichikawa and H. Sakai (Kanagawa, Japan)	
The effects of impurities on the light-induced degradation of hydrogenated amorphous silicon. . . . .	293
J. D. Cohen and T. Unold (Eugene, OR, U.S.A.)	

## Crystalline

Materials aspects of multijunction solar cells . . . . .	305
S. A. Hussien, P. Colter, A. Dip, J. R. Gong, M. U. Erdogan and S. M. Bedair (Raleigh, NC, U.S.A.)	
Review of the application of molecular beam epitaxy for high efficiency solar cell research . . . . .	313
M. R. Melloch (West Lafayette, IN, U.S.A.)	
A novel reactor for large-area epitaxial solar cell materials. . . . .	323
P. B. Chinoy, D. A. Kaminski and S. K. Ghandi (Troy, NY, U.S.A.)	
Thin film approaches for high-efficiency III-V cells . . . . .	337
G. Lush and M. Lundstrom (West Lafayette, IN, U.S.A.)	
Advances in the development of an AlGaAs/GaAs cascade solar cell using a patterned germanium tunnel interconnect. . . . .	345
R. Venkatasubramanian, M. L. Timmons, T. S. Colpitts and J. S. Hills (Research Triangle Park, NC, U.S.A.)	
Tandem gallium solar cell voltage-matched circuit performance projections. . . .	355
L. M. Fraas, J. E. Avery, P. E. Gruenbaum, R. J. Ballantyne and E. Malocsay (Seattle, WA, U.S.A.)	
High-performance concentrator tandem solar cells based on IR-sensitive bottom cells . . . . .	363
M. W. Wanlass, J. S. Ward, K. A. Emery, T. A. Gessert, C. R. Osterwald and T. J. Coutts (Golden, CO, U.S.A.)	
Silicon solar cell materials research: current progress and future needs . . . . .	373
B. L. Sopori (Golden, CO, U.S.A.)	
Solarex experience with ethylene vinyl acetate encapsulation . . . . .	383
J. H. Wohlgemuth and R. C. Petersen (Frederick, MD, U.S.A.)	

## Alternative Growth Techniques

Electron cyclotron resonance microwave plasma deposition of a-Si:H and a-SiC:H films . . . . .	391
Y. H. Shing and F. S. Pool (Pasadena, CA, U.S.A.)	
Crystallized amorphous silicon for low-cost solar cells . . . . .	403
J. Yi, R. Wallace, N. Sridhar, Z. Wang, K. Xie, D. D. L. Chung, C. R. Wie, K. Etemadi and W. A. Anderson (Amherst, NY, U.S.A.), M. Périard, R. W. Cochrane, Y. Diawara, J. F. Currie (Montreal, Que., Canada) and J. Coleman (Locust Valley, NY, U.S.A.)	
Low temperature homoepitaxial growth of GaAs by dissociating trimethylgallium and trimethylarsenic in a remote hydrogen plasma . . . . .	415
B. G. Pihlstrom, L. R. Thompson and G. J. Collins (Fort Collins, CO, U.S.A.)	
Deposition of $\mu$ c-Si and $\mu$ c-Si-C thin films by remote plasma-enhanced chemical-vapor deposition. . . . .	419
G. Lucovsky, C. Wang, R. J. Nemanich and M. J. Williams (Raleigh, NC, U.S.A.)	

## Windows, Contacts and Doping

Textured fluorine-doped ZnO films by atmospheric pressure chemical vapor deposition and their use in amorphous silicon solar cells . . . . .	437
J. Hu and R. G. Gordon (Cambridge, MA, U.S.A.)	
Cu/In deposited at room temperature: morphology, phases and reactions . . . . .	451
J. S. Chen, E. Kolawa, M.-A. Nicolet and R. P. Ruiz (Pasadena, CA, U.S.A.)	
Practical guidelines for grid metallization in photovoltaic solar cell research. . . . .	459
T. A. Gessert, X. Li and T. J. Coutts (Golden, CO, U.S.A.)	
Broad band spectroscopic ellipsometry for the characterization of photovoltaic materials . . . . .	473
F. A. Abou-Elfotouh, G. S. Horner, T. J. Coutts and M. W. Wanlass (Golden, CO, U.S.A.)	

## Solar Radiation, Simulation and Applications

Solar radiation research for photovoltaic applications. . . . .	489
C. Riordan, R. Hulstrom, T. Cannon and D. Myers (Golden, CO, U.S.A.)	
The difference between standard and average efficiencies of multijunction compared with single-junction concentrator cells . . . . .	501
S. R. Kurtz, J. M. Olson and P. Faine (Golden, CO, U.S.A.)	
Cost and performance sensitivity studies for solar photovoltaic/electrolytic hydrogen systems . . . . .	515
J. M. Ogden (Princeton, NJ, U.S.A.)	

## Photovoltaic Module Reliability Workshop

Preface . . . . .	527
Early experiences of the 15 kW NMPC demand-side management photovoltaic project . . . . .	529
B. Bailey, R. Perez, J. Doty, K. Elsholz, R. Stewart (Albany, NY, U.S.A.) and W. Huse (Syracuse, NY, U.S.A.)	
Three-year performance and reliability analysis of a 4 kW amorphous-silicon photovoltaic system in Michigan . . . . .	535
R. G. Pratt (Detroit, MI, U.S.A.)	
CuInSe <sub>2</sub> module environmental reliability . . . . .	549
D. E. Tarrant, R. R. Gay, J. J. Hummel, C. Jensen and A. R. Ramos (Camarillo, CA, U.S.A.)	
Reliability studies of Eureka modules . . . . .	559
J. Grez, J. Kolesar and F. Kampas (Princeton, NJ, U.S.A.)	
Field test results for the 6 MW Carrizo Solar Photovoltaic Power Plant . . . . .	563
A. L. Rosenthal and C. G. Lane (Las Cruces, NM, U.S.A.)	
Author Index . . . . .	573
Subject Index . . . . .	575

